
1170

Index.

Topography of the M.E. Church property opposite
Ft Jefferson page 2.
" " " " " " " 6 to 11
Cross Sections opposite Ft Jefferson " 5
Extra "Right of Way for mining pit" Ft Jefferson " 9.
Topography & Cross Sections at Iron Bridge
Site — over Snodgrass Slough. pages 9 to 16
X-Sections Courtland Terminals ... 21

1172

Topography of M.E. Church property
on the "H" Line

November 6.07



1173

Cross-section of North Lerce on Franklin Road opposite H 740+03 E to opposite H 741+75

℄ Left

				(New Co. Road)		
H 741+75	8.1	8.0	7.8	8.1		
	83.8	97.8	119	129		
+50	8.5	10.8	11.9	10.8	7.7	8.10
	73.3	86	102	113	125	136
	(ppty line)					
+25	8.3	11.4	13.5	11.5	7.6	
	62	74	88	97	113.8	
	(ppty line)					
741	8.4	14.2	12.3	7.6		
	49.8	78.3	88	102		
				(ppty line)		
+63 E	8.8	8.9	13.0	14.8	12.5	7.7
	32.1	34.6	46	54	66	79
			(ppty line)			
+33 E	10.0	15.1	11.8	7.5		
	28.5	43.5	49.5	62		
			(ppty line)			
H 740+03 E △ B.C. T3.	15.0	14.9	7.4			
	22.4	31	50			



Right of Way through M.E. Church property near Richland

Tract "A"

December 15, 23



See page 10 Tract A

1175

Right of Way through M.E. Church property showing proposed Road Crossing

Tract "B"

December 16, 1929

See pages 8 and 6

1176

Extra Right of Way for Turning Pit

Sta. D 901+50 to Sta. D 905+476

1177

Cross Sections Sta. II 1185+80 to Sta. I 1107+
II 1108 +65.3 a on tang.
I 1107+606 ±C

from center line and showing width of. Extra material that has to be removed

Deeper cut adjoining Shadgrass Slough

Jan 28 & 29, 1910

	Lt	C			Rt							
II 1185+80	original Cross Section.											
1106	11.5 / 16°	6.8 / 9°	5.7	5.6 / 11°	7.2 / 27°	7.1 / 41°	5.7 / 47°	3.8 / 58° W.S.	1.2 / 74°	-3.2 / 90°	-4.0 / 100°	-5.7 / 120°
					-5.2 / 140°	2.0 / 160°						
1107	9.5 / 34° W.S.	6.1 / 38°	7.2 / 49°	8.6	10.3 / 41°	10.2 / 17°	8.0 / 32°	5.6 / 46°	4.8 / 57°	3.0 / 135° W.S.	4.8 / 74°	-1.2 / 90° -6.0 / 110°
					-6.9 / 130°	-6.1 / 140°	2.0 / 149°					
1107+80	16.6 / 37° W.S.	6.7 / 27°	6.4 / 9°	15.1 / 31°	13.0	13.3 / 10°	9.3 / 30°	7.8 / 50°	7.1 / 60°	4.8 / 69°	5.6 / 73°	4.5 / 78° -1.1 / 99° -5.2 / 120°
					-6.2 / 130°	-5.0 / 140°	1.3 / 150°	4.7 / 167°	1.2 / 180°			

1178


10
Original Cross Section
1179

Topography of M^t Line - Meander of Snodgrass Slough at Transition Pt.

Today 12/1910

M^t 1+00.0

0+90

0+80

0+70

0+60

0+50

0+40

0+30

0+20

0+10

M^t 0+00

T 11 S R 4 E

M^t 8+43.4^{4.8}

16'

16.5

16.0

15.9

15.9

11.5

11.2

10.8

10.4

10.2

Slough

Snodgrass

M^t 0+00

15.5

See T^p line notes book for M^t line

1180

Topography of the N² Line - Meander of Dodgeons Slough at Ham Bridge Site

Canvas 12/6

△ N² 0+28.91

Dredger Cut

Slough

0+582

0+50

0+40

0+30

0+20

0+10

N² 0+00

Dodgeons

Tules

5°

90 →

110 →

135 →

150 →

15° → △ N² 0+00

T 11 07 1.949

T 11 07 1.949 △ 112°50½' 197

See 2" line transit book for N² line

11181

Topography - N° 3 Line - Meander of Snaddon Slough at New Bridge Site

See "D" line transit book for N° 2 line

January 14 1915

N° 3 1+40.0

0+90

0+50

0+30

0+10

0+50

0+10

1+30

0+20

0+10

0+00

N° 3 0+00
T 11 0 R 10 3/4 E

104 chains 70 lks

N° 2 1+25.5

Tules and Willow Brush

Edge of Slough

Snaddgrass

N° 2 0+00
T 11 0 R 10 3/4 E

1182

Topography of the "N" line, Meander of

Sec "D" line travel back for "N" line

N 1+00

0+90

0+80

0+70

0+60

0+50

0+40

0+30

0+20

0+10

N 0+00

T 1109+23.9 Ft Δ

16° 54' Lt

Goodgrass Slough at Draw Bridge Site

N 0+64 Ft

Goodgrass Slough

Tidal Flat

Ditch

Dump Slough

Tidal and Willow Flat

N 0+00

T 1103+00 Ft

1183

Sounding taken at Iron Bridge U.S.

T 1107+90.2

1108

+10

+1.25

+20

+30

+40

+50

+60

+70

15

Sta T 1107+94.2 ± T 1109+03.73 ±

20' LT C 25' RT

Water Surface 2.7 January 14, 1970 - 2:30 P.M.

-3.4 / 20' — -3.1 — -2.6 / 25'

-3.7 / 20' — -3.4 — -2.8 / 25'

-0.8 / 20' — -0.5 — -2.8 / 25'

-0.1 / 20'

-3.1 / 20' — -2.8 — -3.2 / 25'

-4.1 / 20' — -3.8 — -3.7 / 25'

-5.0 / 20' — -4.8 — -4.0 / 25'

-5.0 / 20' — -4.8 — -4.8 / 25'

-5.8 / 20' — -5.7 — -4.7 / 25'

-6.0 / 20' — -5.8 — -5.1 / 25'

1184

Soundings taken at Draw Bridge Site

9to T 1137+99.9 to T 1109+08.5 Bk

25' Lt	C	25' Rt
T 1105+90		
-6. 250	-4.6	-3.1 250
+88		-3.5 250
+90		
-4.5 250	-4.6	
+92	-3.3	
1109		
-2.1 250	-3.4	-2.6 250
T 1083.3 A	-3.4	-3.1 250
+05	-0.3 250	
+06	-3.6 250	

Plan

1185

Cross Section of Sink at II 1102+60 & II 1103+60

August 31, 1910

Sta.	Lt.								C.								Rt.	
II 1102+50	3.0 / 70°	5.0 / 65°	5.7 / 60°	7.4 / 50°	8.6 / 40°	8.7 / 30°	15.1 / 30°	17.8 / 20°	25° / 18°	25.5 / 10°	25.9	25.5 / 10°	25.0 / 13°	21.9 / 90°	9.6 / 40°	4.7 / 50°	2.3 / 90°	1.5 / 90°
1102+60			2.4 / 79.5	4.8 / 70°	5.4 / 60°	8.6 / 30°	11.9 / 40°	13.8 / 30°	17.5 / 20°	22.6 / 10°	24.2 / 8°	24.0	24.7 / 10°	9.46 / 145	3.18 / 30°	1.82 / 40°	0.57 / 50°	0.65 / 70°	1.5 / 74.0
1102+79	1.5 / 86°	3.9 / 80°	6.2 / 70°	8.8 / 60°	10.8 / 40°	13.6 / 30°	17.1 / 30°	19.5 / 160	16.2 / 10°	14° / 16	13.5 / 18	14° / 35	15.4	23.7 / 103	9.46 / 155	2.09 / 300	1.10° / 40°	0.69 / 50°	0.38 / 60°	0.5 / 72°
1103	2.0 / 90°	6.5 / 80°	8.6 / 70°	8.3 / 68°	10.3 / 50°	13.5° / 40°	15.2 / 30°	16.3 / 30°	17.1 / 19°	14.8 / 9°	14.2 / 5°	13°	14.1°	15.2 / 10°	9.26 / 15°	2.34 / 19°	0.37 / 30°	0.13 / 40°	0.08 / 60°	0.30 / 70°	1.5 / 79.5
1103+20	5° / 70°	6.7 / 100°	9.8 / 90°	10° / 80°	9.0 / 70°	11.1 / 60°	11.2 / 50°	12.8 / 50°	14.4 / 30°	17.2 / 19°	14.9 / 10°	15.9	17.8 / 10°	24.9 / 18°	23.2 / 20°	10.5 / 40°	6.4 / 60°	5.1 / 70°	3.6 / 75°	1.5 / 79.5
1103+60	3.0 / 90°	8.4 / 80°	5.8 / 70°	6.5 / 60°	8.9 / 50°	10.4 / 40°	13.1 / 30°	16.9 / 20°	22.7 / 13°	29.1 / 10°	22.8	24.4 / 10°	29.4 / 30°	11.7 / 40°	7.1 / 50°	5.7 / 60°	5.2 / 70°	3.6 / 76°	1.5 / 77.5

Plotted.
Sept 6/10. F.W.J.

P.E.D.

1186

1187

Elev. B.M. 2153

Grade at McCullough 39.6